		Q
	Application No.	Applicant(s)
Notice of Allowability	10/657,226	BREDA, SILVANO
	Examiner	Art Unit
	John Rivell	3753
	John Kiveli	3733
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1,313 and MPEP 1308.		
1. This communication is responsive to <u>election filed 12/12/05</u> .		
2. The allowed claim(s) is/are <u>1-5</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ✓ Notice of References Cited (PTO-892)	5 Motice of Informal E	Patent Application (PTO-152)
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	
	Paper No./Mail Da	te .
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	08), 7. ☑ Examiner's Amendr	menvComment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	ent of Reasons for Allowance
	9.	

Application/Control Number: 10/657,226

Art Unit: 3753

Applicant's election without traverse of the invention of Group I, claims 1-5 in the reply filed on December 12, 2005 is acknowledged.

Claim 6, to the non-elected invention, has been canceled. Claims 1-5 are thus pending and allowed.

The drawing filed December 12, 2005 are acceptable.

The following is an examiner's statement of reasons for allowance:

The prior art fails to anticipate or properly render obvious a "diverter valve comprising, a stationary sleeve having a plurality of (peripheral) water outlet ports disposed at predetermined spaced intervals and permanently aligned with and sealed in relation to (the) plurality of water outlets of said housing... a rotary stem sleeve contained within said stationary sleeve,... rotating said rotary stem sleeve within said cartridge, said stationary sleeve including a ... ceramic disk disposed... proximate the bottom of said stationary sleeve and including a water inlet port in registration with the water inlet of said housing to allow water to enter the cartridge, said rotary stem sleeve including an interior and carrying a ... ceramic disk therein moveable in and out of registration with the water inlet port of said ceramic disk of said stationary sleeve when said rotary stem sleeve is rotated to fully close and open said water inlet port and thereby allow water to enter said cartridge and to thereafter selectively align the at least one outlet of said rotary stem sleeve with at least one of the plurality of water outlets of said stationary sleeve and said housing by the pre-selected degree of rotation of said rotary stem sleeve" as recited in claim 1. That is the prior art does not include a hollow

Application/Control Number: 10/657,226 Page 3

Art Unit: 3753

fixed sleeve about a moving selector sleeve with a ceramic disc element fixed to both sleeves to control fluid flow.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Rivell whose telephone number is (571) 272-4918. The examiner can normally be reached on Mon.-Thur. from 6:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Mancene can be reached on (571) 272-4930. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner
Art Unit 3753